Application No. 09/930,020 Filed: August 14, 2001

Attorney Docket No. 05882.0168.CPUS01 (Previously 018501-003100US)

Amendments To The Claims I.

Claims 1-31 (canceled)

- (presently amended) A method of diagnosing colorectal cancer in a human 32. patient comprising:
 - obtaining a sample comprising colorectal tissue from a human patient; and (a)
 - detecting measuring the level of a polynucleotide encoding a CBF9 **(b)** polypeptide in the sample, wherein the polynucleotide is an RNA equivalent of a nucleic acid sequence at least 90% identical to the nucleic acid sequence disclosed in from nucleotide 328 to 2751 of SEQ ID NO: 1; and

wherein an increase in the level of the polynucleotide relative to normal colorectal tissue is indicative of colorectal cancer.

Claims 33-37 (canceled)

- (previously amended) The method of Claim 32, wherein said level is measured 38. using a binding agent.
- (previously presented) The method of Claim 38, wherein the binding agent is 39. detectably labeled.
- (previously presented) The method of Claim 39, wherein the label is selected 40. from the group consisting of a radiolabel, a fluorescent label and a detectable enzyme.
 - 41. (canceled)
- (previously presented) The method of Claim 32, wherein said expression is 42. measured using a labeled nucleic acid probe.
- (previously presented) The method of Claim 32, wherein said expression is 43. measured utilizing a biochip.
 - 44. (canceled)
- (previously presented) The method of Claim 32, wherein the method further 45. comprises isolating nucleic acids from the sample.
- (previously presented) The method of Claim 32, wherein the detecting step 46. comprises hybridizing a labeled probe to the polynucleotide.

Application No. 09/930,020 Filed: August 14, 2001

Attorney Docket No. 05882.0168.CPUS01 (Previously 018501-003100US)

- 47. (previously presented) The method of Claim 46, wherein the probe is labeled with a fluorescent label.
- 48. (previously presented) The method of Claim 32, wherein the detecting step comprises hybridizing the polynucleotide to a probe that is immobilized on a solid surface.
- 49. (previously presented) The method of Claim 32, wherein the detecting step comprises contacting the sample with a biochip, wherein the biochip comprises the nucleic acid sequence disclosed in SEQ ID NO: 1.
- 50. (presently amended) A method of diagnosing colorectal cancer in a human patient, the method comprising
- (n) detecting measuring the level of a polynucleotide encoding a CBF9 polypeptide in the human patient, wherein the polynucleotide is an RNA equivalent of a nucleic acid sequence of at least 90% identical to the nucleic acid sequence disclosed in from nucleotide 328 to 2751 of SEQ ID NO: 1, and wherein an increase in the level of the polynucleotide relative to normal colorectal tissue is indicative of colorectal cancer.
- 51. (previously presented) The method of Claim 50, wherein said level is detected in blood from the patient.
- 52. (previously presented) The method of Claim 50, wherein said level is detected in colorectal tissue from the patient.
- 53. (previously presented) The method of Claim 50, wherein the detecting step comprises hybridizing a labeled probe to the polynucleotide.
- 54. (previously presented) The method of Claim 50, wherein said probe is labeled with a fluorescent label.
- 55 (previously presented) The method of Claim 50, wherein the detecting step comprises hybridizing the polynucleotide to a probe that is immobilized on a solid surface.
- 56. (previously presented) The method of Claim 50, wherein the detecting step comprises contacting nucleic acids from the patient with a biochip, wherein the biochip comprises the nucleic acid sequence disclosed in SEQ ID NO: 1.
- 57. (presently amended) A method of detecting colorectal cancer in a human patient, the method comprising:
 - (a) measuring the level of expression of an expression product of a gene encoding an amino acid sequence of SEQ ID NO:2 in said human patient;
 - (b) comparing the level of said expression product in said human with the level of expression of said expression product in a normal human,

Application No. 09/930,020 Filed: August 14, 2001

Attomey Docket No. 05882.0168.CPUS01 (Previously 018501-003100US)

wherein an increase in the level of the expression product relative to normal colorectal tissue is indicative of colorectal cancer.

- (previously presented) The method of Claim 57, wherein the level is detected in 58. blood from the patient.
- (presently amended) The method of claim 57, wherein the expression product is 59. detected with an antibody.
- (withdrawn) A method of monitoring colorectal cancer in a human patient, the 60. method comprising:
 - detecting the level in said human patient of an expression product of a (a) gene encoding an amino acid sequence identical to SEQ ID NO:2 or a variant or homologous sequence at least 95% identical to SEQ ID NO: 2, and
 - comparing said level of said expression product in said human patient with (b) the level of said expression product in a normal patient.
- (withdrawn) The method of Claim 60, wherein said expression product is 61. mRNA.
- (withdrawn) The method of Claim 61, wherein said detecting step comprises 62. hybridizing a polynucleotide probe to said mRNA, wherein said probe is complementary to said mRNA.
- (withdrawn) The method of Claim 62, wherein said polynucleotide probe is 63. labeled.
 - (withdrawn) The method of Claim 63, wherein said label is a fluorescent label. 64.
- (withdrawn) The method of Claim 60, wherein said expression product is a 65. polypeptide.
- (withdrawn) The method of Claim 65, wherein said detecting step comprises 66. contacting said polypeptide with an antibody that binds to said polypeptide.
- (withdrawn) The method of Claim 66, wherein said antibody further comprises a 67. label.
 - (withdrawn) The method of Claim 67, wherein said label is a fluorescent label. 68.